PDF.js viewer 6/13/22, 4:35 PM





# **Turbomix**

The ultimate vertical blender designed for the frozen dessert and pastry laboratory



Performance and Quality Variable Speed motor is comfortably controlled by hand controls. Blender can be moved vertically and in 360° circular motions. Turbomix comes with two cutters plus an optional cutter. • Cream Emulsifier - Quickly emulsifies dairy and oily ingredients into creamy mixtures or base mix. • Fruit Emulsifier - Great for chopping & mixing pieces of fresh or frozen fruit puree into a base. It is also ideal for blending sugars and powdered ingredients for water-based mixtures. • Optional Cutter - The rotary blender can cut large pieces of fruit such as whole pears and apples. Transforms blended fruit into a fine puree.



**Convenience** Immersion blender stands alone for ultimate comfort and ease of use. Desired mixing time can be set, allowing Turbomix to finish production autonomously. Optional Steel bucket available.



Safety Activated by 2-handed control sensor.

**Hygiene** Emulsification blades can be taken apart and cleaned completely.








PDF.js viewer 6/13/22, 4:35 PM

# **Turbomix**









Weights	lbs.	lbs. kgs.			
Net	143.3	65			
Crated	165	75			
	cu. ft.	cu. m.			
Volume	1.35 0.41				
Dimensions	in.	cm.			
Width	17.3	44			
Depth	19.7	50			
Height	29.9 - 44.9	76 - 114			
Electrical	Maximum Minir Fuse Size Circuit A				

10A

## **Specifications**

#### **Electrical**

A dedicated electrical connection is required. Manufactured to be permanently connected. See the Electrical chart for the proper electrical requirements. Consult your local Carpigiani distributor for cord & receptacle specifications as local codes allow.

**Motor RPM** 

3.000 - 12.000

#### **Rotor Speed**

approx 22 m/sec

### **Minimum Quantity per Cycle**

0.79 gal (3 liters)

#### **Maximum Quantity per Cycle**

3.96 gal (15 liters)

All specifications mentioned must be considered approximate; Carpigiani reserves the right to modify, without notice, all parts deemed necessary. This unit may be manufactured in other electrical characteristics and may have additional regulatory agency approvals, please consult the local Carpigiani Distributor. Check name plate for exact electrical data. \* Room temperature 68 °F (20 °C).

1P, 1W

Bidding Spe	cs								
Electrical	Volt	Hz	Ph	Neutral	☐ Yes	□ No	Cooling	☐ Air	■ Water
Options									



230/50-60/1

738 Gallimore Dairy Road, Suite 113 High Point, NC - 27265 Toll free (800) 648 4389

10A











www.bipiuci.it | printed

an Ali Group Company

PDF.js viewer 6/13/22, 4:35 PM

